INDEX TO VOLUME 58

January to June 1957—Research Papers 2727 to 2767

A

Page

ABO_3-type compounds, classification of, RP2736 ... 75
Accuracy of the Cutler-Hammer recording gas calorimeter when used with gases of high heating value, RP2754 ... 213
Actinium, emission spectra, RP2763 ... 297
Air, intermolecular forces in, RP2738 ... 93
Allen, H. C., Jr., E. K. Plyler, E. D. Tidwell, Infrared spectra of polycholorobenzenes, RP2758 ... 255
Alloys in the iron-chromium-molybdenum-nickel system, phase-diagram study, RP2728 ... 7
Alloys, nickel, thermal expansion, RP2737 ... 89
Aluminum, corrosion rate in acids and alkalies, influence of crystallographic orientation, RP2748 ... 157
Amplitude and phase of the low-frequency ground wave near a coastline, RP2756 ... 237
Antenna, slotted-cylinder, with a dielectric coating, RP2762 ... 287
Apatites deficient in divalent cations, RP2761 ... 279
Apatites, lead and calcium, RP2761 ... 279
Aqueous solutions, spectral absorbance of, in the range 10° to 40° C, RP2731 ... 33
Asphalts, chromatographically fractionated, infrared spectra, RP2759 ... 265
Azilrod, B. M., J. D. Hoffman, Theory of dielectric relaxation for the three-dimensional polar rotator: lattice models leading to bimodal loss curves RP2735 ... 61

B

Bechtoldt, C. J., H. C. Vacher, Phase-diagram study of alloys in the iron-chromium-molybdenum-nickel system, RP2728 ... 7
Bimodal dielectric loss curves, RP2735 ... 61
Birmingham, B. W., E. H. Brown, C. R. Class, A. F. Schmidt, Vessels for the storage and transport of liquid hydrogen, RP2757 ... 243
Blaine, L. R., E. K. Plyler, M. Nowak, Reference wavelengths for calibrating prism spectrometers, RP2752 ... 195
Boron-treated steels, temper brittleness of, RP2750 ... 175
Bozman, W. R., R. E. Trees, Matrices of spin-orbit interaction of the electron configuration $d^4\,s$, RP2739 ... 95
Brass and Teflon tubes, resistance of flow in, RP2734 ... 51
Brockman, M. R., Resistance of flow in Teflon and brass tubes, RP2734 ... 51
Brown, E. H., B. W. Birmingham, C. R. Class, A. F. Schmidt, Vessels for the storage and transport of liquid hydrogen, RP2757 ... 243
Byers, F. C., E. E. Sager, Spectral absorbance of some aqueous solutions in the range 10° to 40° C, RP2731 ... 33

C

Calcified tissue, structure of, RP2761 ... 279
Calorimeter, gas, Cutler-Hammer, accuracy of, RP2754 ... 213
Class, C. R., B. W. Birmingham, E. H. Brown, A. F. Schmidt, Vessels for the storage and transport of liquid hydrogen, RP2757 ... 243
Classification of perovskite and other ABO_3-type compounds, RP2736 ... 75
Comparisons of national radium standards, RP2749 ... 169
Computer, high-speed, for predicting radioactive fallout, RP2740 ... 101
Conductivity, thermal of nitrogen, RP2760 ... 271
Copper, nickel, and copper-nickel alloys, tensile properties at high temperatures, RP2753 ... 201
Cordero, F., H. Matheson, D. P. Johnson, A nonlinear instrument diaphragm, RP2766 ... 333
Corrosion rate of aluminum in acids and alkalies, influence of crystallographic orientation, RP2748 ... 157
Corrosion rate of iron by polarization technique, measurement of, RP2746 ... 145
Crystallographic orientation, influence on corrosion rate of aluminum in acids and alkalies, RP2748 ... 157
Cutler-Hammer recording gas calorimeter, accuracy when used with gases of high heating value, RP2754 ... 213

D

Davis, P., Numerical computation of the transfinite diameter of two collinear line segments, RP2747 ... 155
Decimeter bars, stainless-steel, relative dimensional stabilities of, RP2742 ... 119
Defect structures, apatites, RP2761 ... 279
Dewar vessels for the storage and transport of liquid hydrogen and helium: RP2757 ... 243
RP2764 ... 317
Dielectric loss, theory of, RP2735 ... 61
Digges, T. G., W. D. Jenkins, C. R. Johnson, Tensile properties of copper, nickel, and 70-percent-copper–30-percent-nickel and 30-percent-copper–70-percent-nickel alloys at high temperatures, RP2753 ... 201
Dimensional stabilities of stainless steel length standards, RP2742 ... 119
Double-image prism, construction of, RP2729 ... 21
Double-image prism, Kösters, RP2730 ... 27

E

Eiseman, J. H., E. A. Potter, Accuracy of the Cutler-Hammer recording gas calorimeter when used with gases of high heating value, RP2754 ... 213
Electron configuration $d^4\,s$, matrices of spin-orbit interaction of, RP2739 ... 95
Emission spectra of actinium, RP2763 ... 297

F

Page

Fallout, radioactive, high-speed computer for predicting, RP2740 ... 101
Fluorescent solutions, alpha- and gamma-excited, thermal quenching, RP2743 ... 125
Fred, M., W. F. Meggers, F. S. Tomkins, Emission spectra of actinium, RP2763 ... 297
Frequency conversion with nonlinear reactance, RP2755 ... 227
Friedman, A. S., Intermolecular forces in air, RP2738 ... 93
Further studies on the pyrolysis of polytetrafluoroethylene in the presence of various gases, RP2765 ... 327

G

Gas calorimeter, accuracy when used with gases of high heating value, RP2754 ... 213
Ginnings, D. C., R. L. Nuttall, Thermal conductivity of nitrogen from 50° to 500° C and 1 to 100 atmospheres, RP2760 ... 271
Glass, optical and volumetric relaxation effects in, following removal of high hydrostatic pressures, RP2751 ... 189
Glassy state transitions of poly-(chlorotrifluoroethylene), poly-(vinylidene fluoride and their copolymers, RP2745 ... 137
Gloss methods, two-parameter, RP2744 ... 127
Goodman, S., Radiant-heat transfer between nongray parallel plates, RP2732 ... 37
Ground wave, low-frequency, amplitude and phase of, RP2756 ... 237
Ground wave, low-frequency, influence of a ridge on, RP2727 ... 1

H

Heat transfer, radiant, between nongray parallel plates, RP2732 ... 37
Helium and liquid hydrogen, thermal design of large storage vessels: RP2757 ... 243
RP2764 ... 317
Hidnert, P., Thermal expansion of some nickel alloys, RP2737 ... 89
Hoffman, J. D., B. M. Azilrod, Theory of dielectric relaxation for the three-dimensional polar rotator: lattice models leading to bimodal loss curves, RP2735 ... 61
Hydrogen, liquid, and helium vessels for the storage and transport of: RP2757 ... 243
RP2764 ... 317
Hydrostatic pressure, high, effect on optical and volumetric relaxation in glass, RP2751 ... 189

I

Influence of a ridge on the low-frequency ground wave, RP2727 ... 1
Infrared spectra of chromatographically fractionated asphalts, RP2759 ... 265
Infrared spectra of polychlorobenzenes, RP2758 ... 255
Interferometer, double-image prism: RP2729 ... 21
RP2730 ... 27
Interferometer, multiple-beam, plastics, RP2767 ... 339
Intermolecular forces in air, RP2738 ... 93
Ionization-chamber, standard, requirements for 250- to 500-kilovolt X-rays, RP2741 ... 111
Iron-chromium-molybdenum-nickel system, phase-diagram study of alloys in, RP2728 ... 7
Iron, corrosion rate, measurement by polarization techniques, RP2746 ... 145
Iron-halide lamps, wavelengths from, RP2733 ... 41

J

Jenkins, W. D., T. G. Digges, C. R. Johnson, Tensile properties of copper, nickel, and 70-percent-copper–30-percent-nickel and 30-percent-copper–70-percent-nickel alloys at high temperatures, RP2753 ... 201
Johnson, C. R., W. D. Jenkins, T. G. Digges, Tensile properties of copper, nickel, and 70-percent-copper–30-percent-nickel and 30-percent-copper–70-percent-nickel alloys at high temperatures, RP2753 ... 201
Johnson, D. P., F. Cordero, H. Matheson, A nonlinear instrument diaphragm, RP2766 ... 333

K

Kirn, F. S., H. O. Wyckoff, Standard ionization-chamber requirements for 250- to 500-kilovolt X-rays, RP2741 ... 111
Kösters double-image prism, RP2730 ... 27
Kösters double-image prism, construction of, RP2729 ... 21
Kösters interferometer, RP2730 ... 27

L

Lamps, iron-halide, wavelengths from, RP2733 ... 41
Lattice models leading to bimodal dielectric loss curves, theory of, RP2735 ... 61
Low-frequency wave near a coastline, amplitude and phase, RP2756 ... 237
Length standards, relative dimensional stabilities of, RP2742 ... 119
Loftus, T. P., W. B. Mann, L. F. Paolella, L. L. Stockmann, W. J. Youden, Comparisons of national radium standards, RP2749 ... 169
Low-frequency ground wave, influence of a ridge on, RP2727 ... 1

M

Page

Malitson, I., C. Weir, S. Spinner, W. Rodney, Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, RP 2751 ... 189
Mandelkern, L., G. M. Martin, F. A. Quinn, Jr., Glassy state transitions of poly-(chlorotrifluoroethylene), poly-(vinylidene fluoride), and their copolymers, RP2745 ... 137
Mann, W. B., T. P. Loftus, L. F. Paolella, L. L. Stockmann, W. J. Youden, Comparisons of national radium standards, RP2749 ... 169
Martin, G. M., F. A. Quinn, Jr., L. Mandelkern, Glassy state transitions of poly-(chlorotrifluoroethylene), poly-(vinylidene fluoride), and their copolymers, RP2745 ... 137
Matheson, H., F. Cordero, D. P. Johnson, A nonlinear instrument diaphragm, RP2766 ... 333
Matrices of spin-orbit interaction of the electron configuration d^4s, RP2739 ... 95
Measurement of the corrosion rate of iron by polarization techniques, RP 2746 ... 145
Meggers, W. F., M. Fred, F. S. Tomkins, Emission spectra of actinium, RP2763 ... 297
—, *R. W. Stanley*, Wavelengths from iron-halide lamps, RP2733 ... 41
Michaelsen, J. D., L. A. Wall, Further studies on the pyroplysis of polytetrafluoroethylene in the presence of various gases, RP2765 ... 327
Mientka, W., J. R. Wait, Slotted-cylinder antenna with a dielectric coating, RP2762 ... 287
Murphy, A., J. R. Wait, Influence of a ridge on the low-frequency ground wave, RP2727 ... 1

N

National radium standards, comparisons of, RP2749 ... 169
Newman, S. B., I. Wolock, Optical studies of crazed plastic surfaces, RP2767 ... 339
Nickel alloys, thermal expansion of, RP2737 ... 89
Nickel, copper, and copper-nickel alloys, tensile properties at high temperatures, RP2753 ... 201
Nimeroff, I., Two-parameter gloss methods, RP2744 ... 127
Nitrogen from 50° to 500° C and 1 to 100 atmospheres, thermal conductivity of, RP2760 ... 271
Nonlinear instrument diaphragm, RP2766 ... 333
Nowak, M., E. K. Plyer, L. R. Blaine, Reference wavelengths for calibrating prism spectrometers, RP2752 ... 195
Numerical analysis, computation of the transfinite diameter of two collinear line segments, RP2747 ... 155
Nuttall, R. L., D. C. Ginnings, Thermal conductivity of nitrogen from 50° to 500° C and 1 to 100 atmospheres, RP2760 ... 271

O

Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, RP2751 ... 189
Optical studies of crazed plastic surfaces, RP2767 ... 339
Orem, T. H., Influence of crystallographic orientation on the corrosion rate of aluminum in acids and alkalies, RP2748 ... 157
Orthonormal polynomials, collinear line segments, computation of, RP2747 ... 155
Oxygen, quenching by, in fluorescent solutions, RP2743 ... 125

P

Page, B. L., Relative dimensional stabilities of a selected series of stainless-steel decimeter bars, RP2742 ... 119
Page, C. H., Frequency conversion with nonlinear reactance, RP2755 ... 227
Paolella, L. F., T. P. Loftus, W. B. Mann, L. L. Stockmann, W. J. Youden, Comparisons of national radium standards, RP2749 ... 169
Perloff, A., A. S. Posner, Apatites deficient in divalent cations, RP2761 ... 279
Perovskite and other ABO_3-type compounds, classification of, RP2736 ... 75
Phase-diagram study of alloys in the iron-chromium-molybdenum-nickel system, RP2728 ... 7
Plastic surfaces, microscopy of, RP2767 ... 339
Plyler, E. K., H. C. Allen, Jr., E. D. Tidwell, Infrared spectra of polychlorobenzenes, RP2758 ... 255
—, *L. R. Blaine, M. Nowak*, Reference wavelengths for calibrating prism spectrometers, RP2752 ... 195
Polar rotator, three-dimensional, theory of dielectric relaxation for, RP2735 ... 61
Polarization techniques, measurement of corrosion rate of iron by, RP2746 ... 145
Polychlorobenzenes, infrared spectra, RP2758 ... 255
Poly-(chlorotrifluoroethylene), glassy state transitions of, RP2745 ... 137
Polytetrafluoroethylene, pyrolysis of, in the presence of various gases, RP2765 ... 327
Poly-(vinylidene fluoride), glassy state transitions of, RP2745 ... 137
Posner, A. S., A. Perloff, Apatites deficient in divalent cations, RP2761 ... 279
Potter, E. A., J. H. Eiseman, Accuracy of the Cutler-Hammer recording gas calorimeter when used with gases of high heating value, RP2754 ... 213
Prism, double-image, RP2730 ... 27
Prism, double-image, construction of, RP2729 ... 21
Prism spectrometers, reference wavelengths for calibrating, RP2752 ... 195
Pyrolysis of polytetrafluoroethylene in the presence of various gases, RP2765 ... 327

Q

Quenching, thermal, in alpha- and gamma-excited fluorescent solutions, RP2743 ... 125
Quinn, F. A., Jr., L. Mandelkern, G. M. Martin, Glassy state transitions of poly-(chlorotrifluoroethylene), poly-(vinylidene fluoride), and their copolymers, RP2745 ... 137

R

Page

Radiant-heat transfer between nongray parallel plates, RP2732 ... 37
Radio propagation, amplitude and phase of the low-frequency ground wave near a coastline, RP2756 ... 237
Radio propagation, influence of a ridge on the low-frequency ground wave, RP2727 ... 1
Radio propagation, slotted-cylinder antenna with a dielectric coating, RP2762 ... 287
Radioactive fallout, high-speed computer for predicting, RP2740 ... 101
Radium standards, national, comparisons of, RP2749 ... 169
Reference wavelengths for calibrating prism spectrometers, RP2752 ... 195
Relative dimensional stabilities of a selected series of stainless-steel decimeter bars, RP2742 ... 119
Resistance of flow in Teflon and brass tubes, RP2734 ... 51
Rodney, W., C. Weir, S. Spinner, I. Malitson, Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, RP2751 ... 189
Rosenberg, S. J., Temper brittleness of boron-treated steels, RP2750 ... 175
Roth, R. S., Classification of perovskite and other ABO_3-type compounds, RP2736 ... 75

S

Sager, E. E., F. C. Byers, Spectral absorbance of some aqueous solutions in the range 10° to 40° C, RP2731 ... 33
Saunders, J. B., Construction of a Kösters double-image prism, RP2729 ... 21
—, The Kösters interferometer, RP2730 ... 27
Schmidt, A. F., B. W. Birmingham, E. H. Brown, C. R. Class, Vessels for the storage and transport of liquid hydrogen, RP2757 ... 243
Schwerdtfeger, W. J., Measurement of the corrosion rate of iron by polarization techniques, RP2746 ... 145
Scott, R. B., Thermal design of large storage vessels for liquid hydrogen and helium, RP2764 ... 317
Seliger, H. H., C. A. Ziegler, Thermal quenching in alpha- and gamma-excited fluorescent solutions, RP2743 ... 125
Skramstad, H. K., J. H. Wright, L. Taback, A high-speed computer for predicting radioactive fallout, RP2740 ... 101
Slotted-cylinder antenna with a dielectric coating, RP2762 ... 287
Spectra, emission, of actinium, RP2763 ... 297
Spectra, infrared, of chromatographically fractionated asphalts, RP2759 ... 265
Spectra, infrared, of polychlorobenzene, RP2758 ... 255
Spectral absorbance of some aqueous solutions in the range 10° to 40° C, RP2731 ... 33
Spectrometers, prism, reference wavelengths for calibrating, RP2752 ... 195
Spinner, S., C. Weir, I. Malitson, W. Rodney, Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, RP2751 ... 189
Spin-orbit interaction of the electron configuration d^4s, matrices of, RP2739 ... 95
Stainless steel, phase-diagram study of alloys in the iron-chromium-molybdenum-nickel system, RP2728 ... 7
Standard ionization-chamber requirements for 250- to 500-kilovolt X-rays, RP2741 ... 111
Standards, national radium, comparisons of, RP2749 ... 169
Standards, wavelengths from iron-halide lamps, RP2733 ... 41
Stanley, R. W., W. F. Meggers, Wavelengths from iron-halide lamps, RP2733 ... 41
Steels, boron-treated, temper brittleness of, RP2750 ... 175
Stewart, J. E., Infrared spectra of chromatographically fractionated asphalts, RP2759 ... 265
Stockmann, L. L., T. P. Loftus, W. B. Mann, L. F. Paolella, W. J. Youden, Comparisons of national radium standards, RP2749 ... 169
Storage and transport of liquid hydrogen and helium, vessels for:
RP2757 ... 243
RP2764 ... 317

T

Taback, L., J. H. Wright, H. K. Skramstad, A high-speed computer for predicting radioactive fallout, RP2740 ... 101
Teflon and brass tubes, resistance of flow in, RP2734 ... 51
Temper brittleness of boron-treated steels, RP2750 ... 175
Tensile properties of copper, nickel, and 70-percent-copper–30-percent-nickel and 30-percent-copper–70-percent-nickel alloys at high temperatures, RP2753 ... 201
Theory of dielectric relaxation for the three-dimensional polar rotator: lattice models leading to bimodal loss curves, RP2735 ... 61
Thermal conductivity of nitrogen from 50° to 500° C and 1 to 100 atmospheres, RP2760 ... 271
Thermal design of large storage vessels for liquid hydrogen and helium:
RP2757 ... 243
RP2764 ... 317
Thermal expansion of some nickel alloys, RP2737 ... 89
Thermal quenching in alpha- and gamma-excited fluorescent solutions, RP2743 ... 125
Tidwell, E. D., E. K. Plyler, H. C. Allen, Jr., Infrared spectra of polychlorobenzenes, RP2758 ... 255
Tomkins, F. S., W. F. Meggers, M. Fred, Emission spectra of actinium, RP2763 ... 297
Transfinite diameter of two collinear line segments, numerical computation, RP2747 ... 155
Trees, R. E., W. R. Bozman, Matrices of spin-orbit interaction of the electron configuration d^4s, RP2739 ... 95
Two-parameter gloss methods, RP2744 ... 127

V

Vacher, H. C., C. J. Bechtoldt, Phase-diagram study of alloys in the iron-chromium-molybdenum-nickel system, RP2728 ... 7
Vessels for the storage and transport of liquid hydrogen and helium:
RP2757 ... 243
RP2764 ... 317

W

Page

Wait, J. R., Amplitude and phase of the low-frequency ground wave near a coastline, RP2756 237

—, *A. Murphy*, Influence of a ridge on the low-frequency ground wave, RP2727 1

—, *W. Mientka*, Slotted-cylinder antenna with a dielectric coating, RP2762 287

Wall, L. A., J. D. Michaelsen, Further studies on the pyrolysis of polytetrafluoroethylene in the presence of various gases, RP2765 327

Water-flow, resistance of, in Teflon and brass tubes, RP2734 51

Wavelengths from iron-halide lamps, RP2733 41

Wavelengths, reference, for calibrating prism spectrometers, RP2752 195

Weir, C., S. Spinner, I. Malitson, W. Rodney, Optical and volumetric relaxation effects in glass following removal of high hydrostatic pressures, RP2751 189

Wolock, I., S. B. Newman, Optical studies of crazed plastic surfaces, RP2767 339

Wright, J. H., L. Taback, H. K. Skramstad, A high-speed computer for predicting radioactive fallout, RP2740 101

Wyckoff, H. O., F. S. Kirn, Standard ionization-chamber requirements for 250- to 500-kilovolt X-rays, RP2741 111

X

Page

X-rays, 250- to 500-kilovolt, standard ionization-chamber requirements for, RP2741 111

Y

Youden, W. J., T. P. Loftus, W. B. Mann, L. F. Paolella, L. L. Stockmann, Comparisons of national radium standards, RP2749 169

Z

Ziegler, C. A., H. H. Seliger, Thermal quenching in alpha- and gamma-excited fluorescent solutions, RP2743 125

U. S. GOVERNMENT PRINTING OFFICE: 1957